

**CT5.31# – ROAD MAINTENANCE REQUIREMENTS.** (7/01) Contractor shall maintain roads in accordance with the following Contract Road Maintenance Requirements Summary:

**Contract Road Maintenance Requirements Summary**

Road	Termini		Miles	Applicable Prehaul Road Maintenance Specifications									
	From	To		T-839									
2053000	C 99	C 99	17.7										
2053500	2053000	M.P. 0.08	0.08	P									
2053600	2053000	M.P. 1.2	1.2										
2053620	2053600	2053622	0.4										
2053622	2053620	M.P. 0.2	0.2										
2050630	2053600	M.P. 0.5	0.5										
2053750	2053000	M.P. 0.5	0.50										
2053800	2053000	M.P. 1.08	1.08										
2054010	2053000	M.P. 0.08	0.08	P									

P = Purchaser Performance Item, D = Deposit to Forest Service, D3 = Deposit to Third Party

Road	Termini		Miles	Applicable During Haul Road Maintenance Specifications									
	From	To		T-803	T812	T-838	T-839	T-854					
2053000	C 99	C 99	17.7	P	P	P		P					
2053500	2053000	M.P. 0.08	0.08	P	P		P	P					
2053600	2053000	M.P. 1.2	1.2	P	P	P		P					
2053620	2053600	2053622	0.4	P	P		P	P					
2053622	2053620	M.P. 0.2	0.2	P	P		P	P					
2053630	2053600	M.P. 0.5	0.5	P	P		P	P					
2053750	2053000	M.P. 0.5	0.50	P	P	P		P					
2053800	2053000	M.P. 1.08	1.08	P	P	P		P					
2054010	2053000	M.P. 0.08	0.08	P	P		P	P					

P = Purchaser Performance Item, D = Deposit to Forest Service, D3 = Deposit to Third Party

Road	Termini		Miles	Applicable Post Haul Road Maintenance Specifications									
	From	To		T-831	T-835	T-838	T-839	T-841					
2053000	C 99	C 99	17.7	P		P		P					
2053500	2053000	M.P. 0.08		P	P		P	P					
2053600	2053000	M.P. 1.2	1.2	P		P		P					
2036620	2053600	2053622	0.4	P	P		P	P					
2053622	2053620	M.P. 0.2	0.2	P			P	P					
2053630	2053600	M.P. 0.5	0.5	P	P		P	P					
2053750	2053000	M.P. 0.5	0.50	P		P		P					
2053800	2053000	M.P. 1.08	1.08	P		P		P					
2054010	2053000	M.P. 0.08	0.08	P	P		P	P					

P = Purchaser Performance Item, D = Deposit to Forest Service, D3 = Deposit to Third Party

**ROAD MAINTENANCE REQUIREMENTS SPECIFICATION TABLE PURSUANT TO  
CT5.31# - ROAD MAINTENANCE REQUIREMENTS**

1	2	3			4	5	6			7	8	9	
Road No. and Termini	Special Project Specifi- cation	Travel Way			Brushing And Log Out	Surfacing	Dust Abatement			Seasonal Mainte- nance	Snow Removal	Post Haul	
		Width	X Slope	Comp			Product	Applic Rate	Width			Block	Treat
<b>2053000</b> C 99 To C 99	T-838-02F2	EX	AI		OPT		OPT		EX		TS		PR
<b>2053500</b> 2053000 To M.P. 0.08	T-835-03 F T-839-02F	EX	AI		OPT		OPT		EX		TS	PR	PR
<b>2053600</b> 2053000 To M.P. 1.2	T-838-02F2	EX	AI		OPT		OPT		EX	W	TS		PR
<b>2053620</b> 2053600 to 2053622	T-835-03 F T-839-02F	EX	AI		OPT		OPT		EX	W	TS	PR	PR
<b>2053622</b> 2053620 to M.P. 0.20	T-839-02F	EX	AI		OPT		OPT		EX	W	TS		PR
<b>2053630</b> 2053600 to M.P. 0.5	T-835-03 F T-839-02F	EX	AI		OPT		OPT		EX	W	TS	PR	PR
<b>2053750</b> 2053000 to M.P. 0.5	T-838-02F2	EX	AI		OPT		OPT		EX	W	TS	PR	PR
<b>2053800</b> 2053000 to M.P. 1.08	T-838-02F2	EX	AI		OPT		OPT		EX	W	TS		PR
<b>2054010</b> 2053000 to M.P. 0.08	T-835-03 F T-839-02F	EX	AL		OPT		OPT		EX	W	TS	PR	PR

ROAD MAINTENANCE REQUIREMENTS SPECIFICATION CODES TABLE PURSUANT TO  
CT5.31# - ROAD MAINTENANCE REQUIREMENTS (7/2001)

Column No.	Heading	Entry	
	Any	Blank	Except as otherwise described, no entry indicates Purchaser is not authorized or required to perform the work item(s).
	Any	RC	This work requirement applies only when haul of sale related construction materials occurs.
2	Special Project Specification	Number	Entry indicates Special Project Specification which applies.
3	Travel Way	EX	Purchaser shall maintain the traveled way to the width existing upon entry, or at the completion of Specified Road work.
		Numbers	Purchaser shall maintain the traveled way to the standard width indicated by the entry, plus curve widening, in accordance with Section T-811. If required, the road template shall be shaped to this width and to the designated cross slope before haul and during recurring maintenance.
		IS, C, OS, F, or AI	Cross slopes are designated as: IS (Inslope), C (Crown), OS (Outslope), F (Flat), AI (As Is).
		A or B	If compaction is required.
4	Brush and Log Out	Numeric & R and or L	Purchaser shall remove brush for specified width on either or both the right (R) side or left (L) side of road.
		As Staked	Limits of brushing are as staked or marked in the field.
		OPT	Purchaser may use hand or mechanical means of brushing.
		H	Only hand brushing may be used.

ROAD MAINTENANCE REQUIREMENTS SPECIFICATION CODES TABLE PURSUANT TO  
CT5.31# - ROAD MAINTENANCE REQUIREMENTS (7/2001)

Column No.	Heading	Entry	
5	Surfacing	Aggregate Grading	Purchaser shall place surfacing on roads listed according to the grading indicated.
6	Dust Abatement	OPT	Product selection is Purchaser's choice from those listed in Section T-812.
		Product Abbr.	Unless otherwise agreed, Purchaser is restricted to product listed corresponding to the abbreviation shown in Section T-812; (i.e., LigS = Lignon Sulfonate) Application rates are estimated amounts.
		EX	Purchaser shall abate dust on the existing width
		Numbers	Purchaser shall abate dust to the width indicated by entry.
7	Seasonal Maintenance	W	Waterbars and/or crossditching shall be required prior to expected seasonal precipitation.
		B	Entrance barriers shall be installed by Purchaser prior to nonuse periods.
8	Snow Removal	TS	Snowplowing authorized for Purchaser's Operations without recreation access being provided per Section T-803 requirements.
		JU	Snowplowing authorized, but must provide for recreation joint use per Section T-803 requirements.
		Blank	Snowplowing is not authorized. Forest Service may authorize plowing by permit when not in conflict with other uses.
9	Post Haul	PR	PR denotes that work is Purchaser's Responsibility to perform.